

Attorney's Docket No.:06975-029001  
Client's Ref. No.: Personalization 01

**FACSIMILE**  
**FOR THE PERSONAL ATTENTION OF:**  
**EXAMINER LY**

**FAX NO: 703-746-8306**

**Number of pages including this page 2**

Applicant : William KENNEY  
Serial No. : 09/582,261  
Filed : October 10, 2000

Art Unit : 2664  
Examiner : LY


**FACSIMILE COMMUNICATION**

Title : Localization of Clients and Servers

Examiner Ly:

As mentioned in my voice mail, it appears that when substitute page 5 was filed, the last paragraph on substitute page 5 lines 31-33 included the first three lines (lines 1-3) on page 6. So, lines 31-33 on substitute page 5 were added in error. Also, there is a typographical error on substitute page 5 line 30. Please see the attached sheet. Please call me if you have any further questions.

Respectfully submitted,

  
\_\_\_\_\_  
Joseph F. Key  
Reg. No. 44,827

Date: October 29, 2003

Fish & Richardson P.C.  
1425 K Street, N.W.  
11th Floor  
Washington, DC 20005-3500  
Telephone: (202) 783-5070  
Fax: (202) 783-2331

40184765.doc

**NOTE: This facsimile is intended for the addressee only and may contain privileged or confidential information. If you have received this facsimile in error, please immediately call us collect at (202) 783-5070 to arrange for its return. Thank you.**

## SUBSTITUTE

- 5 -

software, scientific software, internet access software, word processing software, and many other types of software. User applications may access computer system peripherals 112-114, 121, and 124 through an application programming interface provided by the operating system and/or may directly interact with underlying computer system 100 hardware.

5 A collection of computers 100 can serve as components of a computer network. As shown in Fig. 2, a computer network 200 can include a host computer system 210 and client computers 231-236. The client computers 231-236 can communicate with the host 210 to obtain data stored at the host 210 in databases 214-215. The client computer 231-236 may interact with the host computer 210 as if the host was a single entity in the network 200.

10 However, the host 210 may include multiple processing and database sub-systems that can be geographically dispersed throughout the network 200. For example, a host 210 may include a tightly coupled cluster 211-213 of computers 100 (Fig. 1) at a first location that access database systems 214-215 at remote locations. Each database system 214-215 may include additional processing components.

15 Client computers 231-236 can communicate with the host system 210 over, for example, a combination of public switched telephone network dial-up connections and packet network interconnections. For example, client computers 231-233 may each include a modem coupled to voiceband telephone line 241-243. To communicate with the host 210, the client computers 231-233 establish a data connection with a local terminal server 225 by dialing a  
20 telephone number assigned to the local terminal server 225. A local terminal server 225 may have both dial-up and packet network interfaces allowing the server 225 to receive data from client computers 231-233, segment the received data into data packet payload segments, add overhead information to the payload segments, and send the resultant data packets over a link 221 to a packet data network 220 for delivery to the host system 210. Terminal servers 225  
25 and 226 may also be referred to as a network service provider's point-of-presence (POP).

The overhead information added to the payload segments includes a packet header. A packet header includes a destination address assigned to the host system 210 and a source address assigned to the local terminal server 225. Other overhead information may include information associating the data packet with a specific client 231-233. Similarly, the host  
30 system 210 may send data to a client 231-233 by segmenting the data <sup>into</sup> packet payload segments, and adding overhead information to send the data packet to a client 231-234 at the terminal server 225. Client computers 234-236 may similarly exchange data with the host 210 over communications links 244-246 to the terminal server 226.

These 3 lines are the first three lines on page 6.